



MANUFACTURING BUILDING  
8023 Vantage Drive  
San Antonio, TX 78230

**FAX COVER SHEET**

**CONFIDENTIALITY NOTICE:** The documents accompanying this telecopy transmission contain confidential information which is legally privileged. The information is intended only for the use of the recipient named below. If you have received this telecopy in error, please immediately notify us by telephone, to arrange for return of the original documents to us, and you are hereby notified that any disclosure, copying distribution, or the taking of any action in reliance on the contents of this telecopied information is strictly prohibited.

**Date:** 28 June 2005

**No. of Pages:** 22

**TO:** Examiner Michael Bogart  
**FAX:** 571 273 4933

**COMPANY:** USPTO

**FROM:** R.W. Mason  
**FAX:** 210 255 6969

**DEPARTMENT:** Legal  
**PHONE:** 210 255 6271

**Re: Serial No. 09/544,399**  
**Confirmation No. 8788**

**Dear Examiner Bogart:**

Attached please find a communication responding to your comments attached to the Notice of Allowability dated 06/24/05.

Please contact me if you require any additional information.

Respectfully submitted,

*Robert W. Mason*  
Robert W. Mason  
Reg. No. 42,848

I:\nft\Chesel\Fax Cover Sheets\USPTO Fax Cover Sheets\BOGART FAX.doc

**Mailing:**  
P.O. Box 659508  
San Antonio, Texas 78265-9508  
1-800-531-5369/Fax 210-255-4450

**Corporate:**  
8023 Vantage Drive  
San Antonio, Texas 78230-4726  
(210) 524-9000

**Manufacturing:**  
4958 Stout Drive  
San Antonio, Texas 78219-4334  
(210) 662-0215

**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No. : 09/544,399 Confirmation No. 8788  
Inventor : JOHNSON, Royce W.  
Filed : 04/06/2000  
Group Art Unit : 3761  
Examiner : Bogart, Michael G.  
Docket No. : VAC.561.US  
Customer No. : 30159  
Title: : NEGATIVE PRESSURE WOUND THERAPY PAD WITH ADAPTATION  
FOR PHOTOTHERAPY

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CERTIFICATE OF TRANSMISSION 37 C.F.R. § 1.8**

I hereby certify that this correspondence is being faxed to  
571 272 4933, on the date indicated below:

29 June 2005  
Date

  
Robert W. Mason


**COMMUNICATION TO EXAMINER**  
**RESPONSE TO EXAMINER'S COMMENTS DATED 06/24/05**

Dear Examiner Bogart:

Per Examiner's request, Applicant herewith submits a copy of the incorrectly listed reference in the IDS dated 11 April 2005. The reference WO 97/13793 should be listed as WO 99/13793. Applicant respectfully requests Examiner's review and consideration of this reference as if it were submitted with the IDS dated 11 April 2005, and further requests that the corrected reference be included in the "Cited References" listing on the issued patent.

Applicant believes this application is now in order for issuance. If examiner should have any additional questions, please contact the undersigned via telephone to promptly resolve this issue.

Respectfully submitted,

  
Robert W. Mason  
Reg. No. 42,848  
Attorney for the Applicant

TEL: (210) 255-6271  
FAX: (210) 255-6969